

RAAR Group USA, Inc.
S. California Sales Office

PO Box 3476

Redondo Beach, CA 90277 USA

Ph: 310-487-3800 Fx: 702-947-6320

Director: Rick Schotts

Email: rick.raargroup@gmail.com

DUNS #: 079-275-790 Cage Code: 7EXT2

Established Since 1985/Veteran Owned

www.raargroupusa.com

WILLIAMS & WHITE DOUBLE ACTION HYDRAULIC PRESS

SERIAL NUMBER: C-4392

MODEL SH 200-116-60

84" X 107" BED

May be seen under power in Los Angeles, CA

https://www.youtube.com/watch?v=O2cq1_qvxOI&feature=youtu.be

SPECS ARE ENCLOSED:

☐ Superintendent ☒ Engineering ☐ Agent
☐ Accounting Department ☐ Cost Sales ☐ Erector
☐ Production Department ☐ Cost
☐ Sales Department Copy ☐ Preliminary

Date Entered 7-21-80 ORDER No. C-4392

Prop. No. WW-1144	Date 6-5-80	Customer G + W Advanced Development and Engineering Center
Letter	Date 7-17-80	Address Gulf + Western Industries, Inc.
Agent		101 Chester Road
Address		Swarthmore, PA 19081
Agent Order No.	Date	Cust. Ord. No. 78265 Date 7-22-80
Net \$	@ % \$	Delivery May 13, 1981 Photo No.

ONE - DOUBLE ACTING, MOVING DOWN, HYDRAULIC, HOUSING PRESS
AS SHOWN IN DRAWING P-4176

Punch Slide Capacity ----- 200 tons maximum
 Punch Draw Capacity ----- 50 tons maximum
 Blankholder Capacity ----- 150 tons maximum

Size of Punch Slide ----- 116" R-L x 60" F-B
 Size of Blankholder Slide ----- 116" R-L x 60" F-B
 Size of Opening in Blankholder Slide ----- 63" R-L x 37" F-B
 Size of Bed ----- 116" R-L x 60" F-B
 Daylight to Punch Slide ----- 132"
 Daylight to Blankholder Slide ----- 76-1/2"
 Stroke of Punch Slide ----- 55"
 Stroke of Blankholder Slide ----- 35"

Speeds:

Punch Slide Close @ 50 tons max. @ 2956 PSI -- 800"/min. max. (adj.)
 Punch Slide Press @ 200 tons max. ----- 175"/min. max. (adj.)
 Punch Slide Open (Net Lift 20 tons) ----- 740"/min. max. (adj.)
 Blankholder Slide Close ----- 740"/min. max. (adj.)
 Blankholder Slide Press @ 150 tons ----- 70"/min. max. (adj.)
 Blankholder Slide Open (Gross Lift 16 tons) -- 620"/min. max. (adj.)

Punch Hydraulic Working Pressure ----- 2600 PSI
 Blankholder Working Pressure ----- 2650 PSI

Hydraulic Pumps (1) Oilgear ----- PVLVKR-250-UNA-CN/G
 (1) Oilgear ----- PVLKVL-075-NUA-DN/G

Est. Ship. Wgt. 125,000#

Motor by	Mfr.	H.P.	Speed	Type	Frame	Brg.	NEMA	Std.	Phase	Cycle	Volts
W.W. & Co.	Delco	250	1200	TEFC	449-TS	Ball	Short Db1.	Shaft	3	60	460

STARTER Across-the-Line, NEMA 12. Size 6.

Terms: SPECIAL. Ship to

F.O.B. Moline, Illinois

Code	Date	Quan.	Routing	Car No.	Weight	Inv. No.	Amount







