

Qty	Short Description	Long Description
1	Allen Bradley 1746OA16 Electronic	Allen Bradley 1746OA16 OUTPUT MODULE AC 120V
3	Rexroth DKC02.3-040-7-FW Servo Drive	Rexroth DKC02.3-040-7-FW SERVO DRIVE DE 40A 700 VCC
10		AIR DUCT HOSE 10"
9		AIR EXHAUST FILTER MUFFLER 1/2"
2		AIR MOTOR PART NO. 145AF1
2		ANALOGIC REGULATOR 0-9 BARS 24VDC 120PSI
3		ANVIL COVER 38-1/2"
7		ANVIL COVER 5"WE. 15.5"IN. 14.7"OD
4		AUXILIARY CONTACT 2 POLO
2		AXIS MACHINING 1601-030200-14 STRAPPER
4		AXLE CONICAL TO 10MM
5		BALL BEARING 20X52X15MM 6304-LU
5		BALL BEARING 65 X 100 X 18MM
4		BALL BEARING 65 X 100 X 18MM W/RING
7		BEARING 25 MM ID X 52 MM OD X 25 MM
2		BEARING 276AF1
91		BEARING BALL .5000 X 1.3750 X .4375MM
13		BEARING BALL 1209 45X85X19MM
11		BEARING BALL 30X72X19 MM
4		BEARING BALL 35X72X12 MM
6		BEARING BALL 43132 33X79X25.4MM
5		BEARING BALL 5212KF 60X110X36.5MM
3		BEARING BALL 55X120X29MM
5		BEARING BALL 5X100X21MM
16		BEARING BALL 6001-2RSR-C3 12X28X8M
4		BEARING BALL 6006.2RSR.C3 30X55X13MM
5		BEARING BALL 6008-2RSR-C3 40X68X15
3		BEARING BALL 61205K82 25X40X58MM
4		BEARING BALL 61205K83 30X47X68MM
11		BEARING BALL 62102RSRC3 90X50X20MM
2		BEARING BALL 6218-2RSR-C3 90X160X3
12		BEARING BALL 6308.2RSR.C3 40X90X23MM
2		BEARING BALL 6313.2RSR.C365X140X33MM
3		BEARING BALL 65X120X38MM

Qty	Short Description	Long Description
4		BEARING BALL 6656K23 31/2X41/8X5/16"
16		BEARING BALL 9108PP
21		BEARING BALL PART NO. 6204.ZZE
22		BEARING C. FOLLOWER CF-11/4 1/2X11/4X3/4
5		BEARING CAM FOLLOWER CF-1 5/8X1"
5		BEARING CAM FOLLOWER NATR5-PP 5X16X12MM
3		BEARING DOBLE BALL 1210 50X90X20MM
4		BEARING DOUBLE BALL 1310
9		BEARING FLANGE-MOUNTED 1 1/2" 4.UCF208
5		BEARING FLANGE-MOUNTED 1 1/2" 4 FY508M
2		BEARING FLANGE-MOUNTED 3/4' 2 VF2S
7		BEARING INNER RACE
10		BEARING INNER RACE 14276 31X69X15MM
2		BEARING INNER RACE 2-5/8X3.24X1.76"
1		BEARING INNER RACE 384-D BRAND TIMKEN
3		BEARING INNER RACE HM89410 33.3X76X29MM
10		BEARING INNER RACE IR-40X45X20
12		BEARING INNER RACE IR-55X60X25
2		BEARING INNER RACE JHM318410 90X155X44MM
9		BEARING INNER RACE MI-12N 3/4X0.99X0.76"
8		BEARING INNER RACE MI-28 1.75X2.24X1.76"
2		BEARING INNER RACE MI-32 2X2.49X1.76"
1		BEARING K387720
1		BEARING MOUNTED 1 3/8" 2 SY 507 U
4		BEARING NAST25ZZ
12		BEARING NEEDLE 13/4X3/4X2-25/3/4"
5		BEARING NEEDLE 14124 1.25X2.83X0.88"
2		BEARING NEEDLE 15X35X18MM
12		BEARING NEEDLE 17X40MM
3		BEARING NEEDLE 5905K137 1X1-1/4X1"
4		BEARING NEEDLE 95.25X120.65X50.8MM
4		BEARING NEEDLE B2816 1-3/4X2-1/8X1"
2		BEARING NEEDLE HK2520 22X28X10MM
8		BEARING NEEDLE MR36 2-1/4X3X1-3/4"

Qty	Short Description	Long Description
4		BEARING NEEDLE MR40 2-1/2X3-1/4X1-3/4"
17		BEARING NEEDLE NATR10-PP-A 10X30X15MM
1		BEARING NEEDLE NATR17-X 17X40X21MM
5		BEARING NEEDLE SCH812 13X19X19MM
4		BEARING ROLLER 1.3125X1.125"
9		BEARING ROLLER 17X40X21
2		BEARING ROLLER 90X44X44MM
2		BEARING ROLLER HM8013491.5938X1.1250"
2		BEARING WA-3428
2		BELT DOUBLE TYPE BB LONG 60"
2		BELT GEAR 300H150 BGU143346 BOBST
8		BELT HI-POWER PART NO. B92
17		BELT LONG 64 1/2 X 5/16
4		BELT MECHANICS SINGLE
3		BELT MOTOR SHAFT PULLE D30,B18,1-12/16OD
1		BELT SINGLE TYPE 5L LONG 28"
3		BELT SINGLE TYPE A LONG 27"
12		BELT SINGLE TYPE A LONG 63"
13		BELT SINGLE TYPE A LONG 68"
5		BELT SINGLE TYPE A LONG 72"
14		BELT SINGLE TYPE A LONG 77"
10		BELT SINGLE TYPE B LONG 102"
13		BELT SINGLE TYPE B LONG 79"
4		BELT SINGLE TYPE B LONG 79"
12		BELT SINGLE TYPE B LONG 83"
16		BELT SINGLE TYPE B LONG 87"
5		BELT SINGLE TYPE B LONG 89"
4		BELT SINGLE TYPE B LONG 90"
8		BELT SINGLE TYPE B LONG 96"
3		BELT SINGLE TYPE BP LONG 127"
2		BELT SINGLE TYPE MICRO J LONG 61"
6		BELT SINGLE TYPE V LONG 71"
1		BLOWER 8" INLET CINC
1		BLOWER MOUNTING BRACKET 1/2-13 HOLES

Qty	Short Description	Long Description
2		BOARD SEMIKRON RT380T 230/400 PCB ROHS
3		BOLT HEX CAP SCREW M8-1.25X1-7/8"
6		BRUSH HOLDERS 13/16 OD
3		BUSHING 1 15/16"
1		BUSHING ECC. STEEL 5-3/4X4-5/16X2-11/16"
1		BUSHING TAPERLOCK
2		BUSHING TAPERLOCK STEEL 2.559"
2		CABLE FOR UMAC RJ45 CAT 5
3		CARDBOARD ROLLER GEAR Z36-269
14		CHAIN ADD-CONNECT LINK PITCH 1/2" SINGLE
101		CHAIN CONNECTING LINK PITCH 40 SINGLE
67		CHAIN CONNECTING LINK PITCH 50 SINGLE
2		CHAIN PITCH 40 SINGLE
8		CLAMP FOR 2MM CABLE
2		COIL WITH CARBON
1		COLLAR INDICATOR DIAL WELDD 3"OD X 1/2TC
6		COMPACT SPADE TERMINAL RELAY 120V
3		COMPONENT HEATER ELEMENT W36
3		COMPONENT HEATER ELEMENT W40
2		COMPONENT RESISTANCE 120V 200W
3		COMPRESSION SPRING 4.5MM MOSCA
1		CONTACTOR MERCURY 120V 1 POLE
2		CONTROLLER PLC CPU
1		CONTROLLER PLC MODULE M23 12PIN
2		CONTROLLER POWER SUPPLY 240V
6		CONTROLLER SLC 5/01 4K MEMORY 1747-L514
1		CONTROLLER TIME PNEUMATIC
89		CONVEYOR BELT PVC 12"X100'
93		CONVEYOR BELT PVC 5"X100'
3		CONVEYOR TIME BELT 42 INCHES LONG
2		COUPLING WITH CUT OF 3.750INX2.612LG
2		COVER BEARING HOUSING ZLG-1784 CORRUGATE
27		CRANK HAND. SCREW MOUNTING ZINC 6270K13
1		CROSS SHAFT CR-30135

Qty	Short Description	Long Description
1		CUTTER PLUNGER TYPE BHS RIBBON WIRE 1/4
1		CYLINDER PNEUMMATIC
29		DISPLACEMENT BALL 1/2 NS
1		DISTRIBUTOR 56C-16-611JJ 150 PSI 1/2NPT
2		DOCTOR BLADE OF STEEL 1.25"X0.010"X100M
1		DRIVE 180-528 VAC 3PH MFE460A016
2		DRIVE GEAR 26676
9		ELBOW BRASS 1/4 "NPT"
37		ELECTRIC COUPLING CONDUIT 1"
2		ELECTRIC INTERLOCK 600VAC
6		ELECTRIC MOTOR PARTS
2		ELECTRIC MOTOR PARTS BRUSH HOLDER
3		ELECTRIC MOTOR PARTS FIXED TYPE
9		ELECTRIC MOTOR PARTS TERMINAL TYPE
3		ELECTRIC RECEPTACLE 24 PINS MALE
8		ELECTROVALVE 4.2WTS 24VDC 120 PSI
2		ELECTROVALVE NEUMATIC 3W 1/2 NPT 24 V
3		ELECTROVALVE PNEUM. 24V 3W 1/8"
4		ELECTROVALVE PNEUM.3/2N1/4 NPT
1		ELECTROVALVE PPNEUM. 220V 3/32 1/4 NPT
2		ENCODER TRANSDUCER 17 VDC TERMINAL
1		FACE GATE MACH 4.1775" 5/8"
47		FEDD WHEEL 4 OD X 1 750 WIDTH
1		FEEDER ROLL SUPPORT 50MM X 300MM
3		FEMALE LEFT END BAR NT1948
1		FEMALE ROD END LEFT EF8 8/M8 L36/48
2		FILTER CARTRIDGE 9"
1	HHB00039	HHB00039 FILTER ELEMENT MAX 100 PSI
2		FILTER MUFLER 3/8" NPT
24		FILTER PANEL 24X24X2"
1		FORMER SLIDE 190 THRU 7/16 CROWN
1		FOTOELECTRIC SENSOR 10-30VDC PNP280XX191
4		FUSE AMPS 100 600 VOLT
7		FUSE BLADE 600 VAC 35AMP

Qty	Short Description	Long Description
8		FUSE BLADE 80 AMP 500VAC
9		FUSE BLADE FLM6 250V 6 AMPS
2		FUSE FLSR30 600V 30A
9		GAUGES ANALOG GAUGE
1		GEAR 64 THEET 4.125" X .625" K-5808E
1		GEAR CM 51T LSK-250
2		GEAR D 33 THEET
1		GEAR DUCTOR ROLLER 74 TEETH Z36-18 C
1		GEAR PART NO. CR-200008
1		GEAR REDUCER BALER 30:1 RATIO
2		GEAR STRAIGHT CR-20139
1		GEAR STRAIGHT CR3580
1		GEAR STRAIGHT ZLG-7703
2		GEAR UPPER FEED ROLLER 13 TEETH
1		GEARBOX 006:1 RATIO
1		GENERAL ADJUSTING GUIDE APPLICATION FCV
3		GENERAL AIR CAM APPLICATION N50F
9		GENERAL ANVIL COVER 37" 3/4 X5"
3		GENERAL BELL HOUSING APPLICATION STR
1		GENERAL BUSHING SUPPORT APPLICAT. N50F
6		GENERAL CLEVIS PIN 1/4X1-1/2"
29		GENERAL ECCENTRIC SET SCREW 5/8-11"
2		GENERAL FEEDER ARM APPLICATION NJUMBO
2		GENERAL HEAD APPLICATION NSS
5		GENERAL HINGE APPLICATION NBOB
1		GENERAL INJECTOR HEAD NGL4
13		GENERAL LOCKNUT APPLICATION NSS
2		GENERAL METALLIC BASE PIN 3/8"
2		GENERAL OUTPUT SHAFT 19.5MM
29		GENERAL PIN 1/2X5-1/2"
2		GENERAL PLATE PART NO. 160G1
5		GENERAL RAZON APPLICATION STRA 28-09
87		GENERAL RETAINING RING 50MM
1		GENERAL SCORE BASE APPLICATION N50F

Qty	Short Description	Long Description
4		GENERAL SHAFT 70X5MM
4		GENERAL SPRING COUPLING
3		GENERAL TAPERED PIN 20MM
33		GLUE TAP KNIFE .875X2-1/8" RED
1		GRIPPER BAR ADJUSTING SCREW 7/16 BLOCK
1		GRIPPER BAR CLAMP PIECE 7/16 CROWN 1/4
1		GRIPPER BAR ONLY 7/16 CROWN 1/4
1		GRIPPER PAD PART NO. 2809-011201-03
1		GRIPPER THROWOUT
4		HEATER ELEMENT 4.94-5.13 AMPS
3		HEATER ELEMENT 8.13-8.45 AMPS
2		HELICAL GEAR D. 6X FACE 4-1/2 TEETH 34
2		HOSE HYDRAULIC DIAMETER 2 "
10		HOSE REGULATOR 3/8 THREAD 3/8
2		HUB PUCHER CLUTCH 5/16 18 X 1/2 IN LONG
1		IDLER SHAFT 5" LENGTH
1		IIDLER GEAR ASSY 1" SHAFT
2		INDUCTIVE PROXIMITY SENSOR 20-250VAC
1		INDUCTIVE SENSOR 10-55VDC NPN/PNP
1		INK DAM SUPPORT 145X60X20MM
8		INNER RING MI12 0.75X1X0.75"
2		JOYSTICK 4 POSITION
1		LEFT SIDE SLIDE BLOCK PIN 1-1/2"
4		LIMIT VALVE 1/8 "
1	802T-BP	802T-BP LIMITATOR SWITCH 120 VAC 60 A
1		LUBRICATION UNIT BIJUR TM5
15		MACHINING INSERT CR-30110 N50F STEEL
2		MAKING ARROW 13 / 4X26.0
4		MAKING GEAR PINON SERVICE FABPINENG
2		MARTIN STEP SPROCKET 60
1		MATRIX BRAKE 1EB020
1		MODULE ET4
1		MOTHER GEAR ZLG-01422-00
10		MOTOR BRUSHES T.250 X W.433 X L1.140

Qty	Short Description	Long Description
1		MOTOR PROTECTION 45.0-60.0 AMP 480V
1		MOTOR SHAFT WORM CR-30153
2		MULTICONDUCTION WIRE 18 AWG 300 V
5		NEEDLE BEARING 1X1.5X1.25" MR-16-1
11		NEEDLE BEARING B1212
2		NEEDLE BEARING MR-5282.55X107.95X44.45
5		NEEDLE BEARING SRF-20 0.500X0.0005"
2		NOZZLE DUAL ORIFICE 0.020 D X 15 DEG
7		OBSOLETE BEARING 6307.2ZR.C3 35X80X21MM
1		OBSOLETE COMPONENT INTERFACE MODULE
22		OBSOLETE BRNG. BALL D-2267 1/4X7/8X7/16"
1		OBSOLETE COMPONENT BOARD
2		OBSOLETE CONTROLLER CONTROL BOARD
1		OBSOLETE CR-35795 STRAIGHT GEAR
1		OBSOLETE DATE HAD DE. 2-5 / 8 "L. 18"
2		OBSOLETE FILTER WATER INLET 1/2 "
4		OBSOLETE GEAR HELICOIDAL CR30126
13		OBSOLETE GENERAL BACKPLATE CLAMP
4		OBSOLETE GENERAL BRA 3.75X0.5 "
3		OBSOLETE GENERAL HINGE APPS. BOB
7		OBSOLETE GENERAL NYLON BUTTON APPS N50F
1		OBSOLETE GENERAL ROTOR APPS. BOB
1		OBSOLETE GENERAL SUPPORT BAR
1		OBSOLETE HEAD BEARING 1R-404828
1		OBSOLETE METAL ROLLER 1-7 / 8 "X 5.5"
1		OBSOLETE PLATE GENERAL ASSEMBLY
3		OBSOLETE PROXIMITY SENSOR 10/30VDC PNP
2		OBSOLETE SAFETY SWITCH
8		OBSOLETE STEEL SHAFT
1		OBSOLETE VALVE MANIFOLD
8		OBSOLETO GENERAL MALE PLUG
3		OUTPUT MODULE SLC 16 POINT DC
4		OVERLOAD RELAY 9 TO 12-5
3	42GRP9042QD	42GRP9042QD PHOTOELECTRIC LR DIFF ACDC H EM 5POLE

Qty	Short Description	Long Description
2		PHOTOELECTRIC RECEIVER SENSOR 10-30 VDC
4		PILLOW BLOCK WALL 1 3/8"
18		PIN CIRCULAR 11 - 2.0" HIGH X 2.3" WIDE
2		PIN IDLERS DRIVEN 1" OD X 5-1/2" LG
3		PIN THICK 1 INCH X 2.05 INCHES
3		PINION GEAR Z36-263A
1		PNEUMATIC CYLINDER 1-1/2" 4" C.
2		PNEUMATIC SOLENOID VALVE 12F123
1		POTHOELECTRIC SENSOR NR7669
2		PROBE GENERAL INK
3		PROXIMITY CABLE WITH ANGLE PLUG
1		PULLEY 12-1/4" OD X 1" ID
3		PULLEY GUIDE 4" 2.5"
5		PULLEY TIMING BELT SINGLE 1/2"
1		PULLEY TIMING BELT SINGLE 6"
1		PULLEY V-BELT DOUBLE 9"
2		PUSH-BUTTON 30MM ILLUMINATED RED/GRE
4		PUSH-BUTTON 30MM NONILLUMINATED BLACK
4		PUSH-BUTTON 30MM NONILLUMINATED RED/GR
19		RELAY ELECTROMECHANICAL 220VAC 8 PINS
5		RELAY ELECTROMECHANICAL 240VAC 14 PINS
14		RELAY IDEC 8 PINS 3A 120 VAC
2		RELAY TIMER 120V AC/DC 8 PINS
1		RIGHT SIDE SLIDE BLOCK PIN 1-1/2"
2		ROLLER BEARING CR-20265
3		ROLLER ECCENTRIC 2-3/16" LONG
5		ROTARY VANE VACUUM PUMP KVT 3.60
42		RUBBER ROLLER 4 INX 8IN
3		RUBBER ROLLER FINGER SLOT 4 OD 8 WTH 5/8
10		SCREW SOCKET M4-0.7X12MM
2		SEAL OIL 5/8" PART NO. SELLOMEC5/8
8		SEAL PAINT O-RING I.D. 6-5/8" ES
4		SEAL SHAFT I.D. .8" O.D. 1-3/8" T. .31"
8		SEAL SHAFT I.D. 1.49 O.D. 1.5 T. 1/4

Qty	Short Description	Long Description
3		SEAL SHAFT I.D. 1.8" O.D. 2.6" T. 0.3"
8		SEAL SHAFT I.D. 105MM O.D. 125MM T. 12MM
5		SEAL SHAFT I.D. 140MM O.D. 170MM T. 15MM
5		SEAL SHAFT I.D. 145MM O.D. 170MM T. 15MM
4		SEAL SHAFT I.D. 2-1/8 O.D. 3.25 T. .438"
13		SEAL SHAFT I.D. 20MM O.D. 47MM T. 14MM
9		SEAL SHAFT I.D. 30MM O.D. 40MM T. 7MM
4		SEAL SHAFT I.D. 75MM O.D. 100MM T. 10MM
5		SEAL SHAFT I.D. 75MM O.D. 100MM T. 12MM
6		SEAL SHAFT I.D. 85MM O.D. 110MM T. 12MM
2		SENSOR LIGHT RECEIVER 10-264V 50/60HZ
7		SENSOR PHOTOELECTRIC 10-30VDC NPN AA
1		SENSOR PHOTOELECTRIC 10-40VDC NPN/PNP
2		SENSOR PHOTOELECTRIC 12-24VDC NPN
5		SENSOR PROXIMITY 20-265V
3		SENSOR RTD 100 OHM
16		SHAFT COLLAR 7/8" ID
2		SHAFT FEED TABLE 288BA1
2		SHAFT UPPER GEAR STACK
2		SHIM CR-30822
4		SHOCK ABSORBER W/NUT
4		SINGLE ACTING ACTUATOR 1/8" NPT
10		SINGLE BAND TIPE B LONG 105IN
14		SINGLE BELT A TYPE 73" LENGTH
17		SOCKET FOR RELAY 24VAC 10A
1		SPEED REDUCER 32-35814
1		SPEED REDUCER 32-34669-1
3		SPRING COMPRESSION 14490-5
1		SPRING COMPRESSION D. 2.6MM NT661
5		SPRING EXTENSION DIAMETER 0.022"
17		SPRING LOWER FEED ROLLER 35 X 23 MM
6		SPRING PIVOT ARM PART NO. 1766404
6		SPROCKET 40-30 THEET 7/8
1		SPROCKET 40B9 9 TEETH NO. CATA-04400009

Qty	Short Description	Long Description
7		SPROCKET 60-48 4"
4		SPROCKET 60B9 7/8"
5		SPROCKET 80B9 1"
2		SPROCKET CR-351860
1		SPROCKET P50-2, B25, 1-5/8"
2		SPROCKET P60, 14B, 1" IN
2		STRAP GUIDE 2809-011100-07
4		SWITCH LIMIT 300VAC 10A
3		SWITCH ROLLER 125VAC 25A
1		TEMPERATURE CONTROLLER 100-230VAC T500
3		TENSION ROLLER OD 2.1/2" ID 3/4"
3		THERMAL ELEMENT 2.69 AMP.
6		TIMING BELT 100" 3/8"
11		TIMING BELT 1050MM.9MM.5MM
3		TIMING BELT 1407MM 70MM
2		TIMING BELT 14408MGT50
4		TIMING BELT 45" 2"
5		TIMING BELT 60" 0.50" 1.50"
4		TIMING BELT 90" 5/8"
6		TIMING BELT 915MM
2		TIMING BELT 960MM 14MM 50MM
3		TIMING BELT PULLEY 2809-013510-00 MOSCA
2		TIMING PULLEY 60QD
1	2901-010400-13	2901-010400-13 TOP STRAP GUIDE 5MM
4		TRACK ROLLERS 22MM X 12MM X 36MM R.M10X1
11		TURCITE 45MM WIDTH X 1.5 MM THICKNESS
1		VALVE 120/60 14.0WTS 1/4NPT
1		VALVE 120/60 24VDC 15WTS
6		WEAR STRIP 1" X 4-2/16"
2		WEAR STRIP CENTER 1" X 10-3/4"
2		WEAR STRIP END 1" X 8-1/2"
1		WHEEL NEOPRENE ROTARY 2"
2		WIRE FEED CRANK SECTOR BH485 1/4"
1		WIRE FEED OPERATING LEVER SLIDING 1/4"

Qty	Short Description	Long Description
2		WORM GEAR CR-30127
2		WORM WHEEL CR-30126
1		WORM WHEEL CR-30149