





# SKNA NOGALES SHEET PLANT


## Spare parts material for transfer

| SAP Number | Description                    | Picture                                                                                                                                                                  | Qty |
|------------|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 19654      | TIMING BELT 60" 0.50" 1.50"    |                                                                                         | 5   |
| 19164      | FILTER PANEL 24X24X2"          |                                                                                         | 24  |
| 20801      | BEARING INNER RACE IR-40X45X20 |     | 10  |
| 21064      | 3/4X0.99X0.76"                 |                                                                                       | 9   |
| 21080      | 1/4X1-3/4"                     |   | 4   |


|       |                                |                                                                                                                                                                          |    |
|-------|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| 21066 | 1.75X2.24X1.76"                |                                                                                                                                                                          | 8  |
|       |                                |       |    |
| 20802 | BEARING INNER RACE IR-55X60X25 |                                                                                                                                                                          | 12 |
|       |                                |       |    |
| 20044 | BEARING BALL 9108PP            |                                                                                                                                                                          | 16 |
|       |                                |       |    |
| 18261 | INNER RING MI12 0.75X1X0.75"   |                                                                                                                                                                          | 8  |
|       |                                |     |    |
| 21154 | 1/8"                           |                                                                                                                                                                          | 3  |
|       |                                |                                                                                       |    |
| 20805 | 90X155X44MM                    |                                                                                                                                                                          | 2  |
|       |                                |   |    |

|       |                             |                                                                                     |    |
|-------|-----------------------------|-------------------------------------------------------------------------------------|----|
| 20757 | HM8013491.5938X1.1250"      |                                                                                     | 2  |
|       |                             |   |    |
| 13716 | BELT SINGLE TYPE B LONG 83" |                                                                                     | 12 |
|       |                             |    |    |
| 21108 | GENERAL OUTPUT SHAFT 19.5MM |                                                                                     | 2  |
|       |                             |    |    |
| 19022 | OBSOLETE COMPONENT BOARD    |                                                                                     | 1  |
|       |                             |  |    |
| 20317 | CYLINDER PNEUMMATIC         |                                                                                     | 1  |
|       |                             |  |    |
| 19397 | BRAND TIMKEN                |                                                                                     | 1  |
|       |                             |  |    |

|       |                            |                                                                                     |   |
|-------|----------------------------|-------------------------------------------------------------------------------------|---|
| 10933 | STRAP GUIDE 2809-011100-07 |                                                                                     | 2 |
|       |                            |    |   |
| 20591 | 24VDC NPN                  |                                                                                     | 2 |
|       |                            |   |   |
| 18842 | POLE                       |                                                                                     | 1 |
|       |                            |    |   |
| 19895 | FUSE BLADE 600 VAC 35AMP   |                                                                                     | 7 |
|       |                            |   |   |
| 19971 | TERMINAL TYPE              |                                                                                     | 9 |
|       |                            |  |   |
| 19006 | ELECTRIC MOTOR PARTS       |                                                                                     | 6 |
|       |                            |  |   |


|       |                            |                                                                                      |   |
|-------|----------------------------|--------------------------------------------------------------------------------------|---|
| 19952 | OBSOLETO GENERAL MALE PLUG |     | 8 |
| 19015 | T. 15MM                    |     | 5 |
| 19687 | 61"                        |    | 2 |
| 14983 | 5/8X3.24X1.76"             |   | 2 |
| 19000 | T. 15MM                    |   | 5 |
| 19858 | APPLICATION FCV            |  | 1 |

|       |                                |                                                                                     |    |
|-------|--------------------------------|-------------------------------------------------------------------------------------|----|
| 15523 | GLUE TAP KNIFE .875X2-1/8" RED |   | 33 |
| 19985 | NONILLUMINATED BLACK           |    | 4  |
| 19704 | 14MM                           |   | 13 |
| 19815 | 220VAC 8 PINS                  |  | 19 |
| 18884 | T. 12MM                        |  | 8  |
| 20115 | 13X19X19MM                     |  | 5  |

|       |                               |                                                                                     |    |
|-------|-------------------------------|-------------------------------------------------------------------------------------|----|
| 19769 | 40X90X23MM                    |    | 12 |
| 21097 | TYPE                          |    | 3  |
| 19044 | STRAPPER                      |    | 2  |
| 21067 | 2X2.49X1.76"                  |  | 2  |
| 19207 | BUSHING TAPERLOCK             |  | 1  |
| 21675 | HEATER ELEMENT 8.13-8.45 AMPS |  | 3  |


|       |                               |                                                                                      |    |
|-------|-------------------------------|--------------------------------------------------------------------------------------|----|
| 20148 | SINGLE BELT A TYPE 73" LENGTH |                                                                                      | 14 |
|       |                               |     |    |
| 19624 | 1/4X1"                        |                                                                                      | 3  |
|       |                               |     |    |
| 20211 | 1/8X1"                        |                                                                                      | 4  |
|       |                               |     |    |
| 21118 | 4.5MM                         |                                                                                      | 3  |
|       |                               |  |    |
| 19008 | 31X69X15MM                    |                                                                                      | 10 |
|       |                               |   |    |
| 18686 | THERMAL ELEMENT 2.69 AMP.     |                                                                                      | 3  |
|       |                               |  |    |

|       |                             |                                                                                     |   |
|-------|-----------------------------|-------------------------------------------------------------------------------------|---|
| 21672 | W36                         |                                                                                     | 3 |
|       |                             |   |   |
| 21674 | W40                         |                                                                                     | 3 |
|       |                             |   |   |
| 19811 | 7MM                         |                                                                                     | 9 |
|       |                             |   |   |
| 20230 | BELT SINGLE TYPE B LONG 89" |                                                                                     | 5 |
|       |                             |  |   |
| 18947 | 50X90X20MM                  |                                                                                     | 3 |
|       |                             |  |   |
| 19117 | 1/2 "                       |                                                                                     | 2 |
|       |                             |  |   |


|       |                              |                                                                                     |    |
|-------|------------------------------|-------------------------------------------------------------------------------------|----|
| 21230 | .438"                        |                                                                                     | 4  |
|       |                              |    |    |
| 19746 | 1/2" SINGLE                  |                                                                                     | 14 |
|       |                              |    |    |
| 20275 | GENERAL SHAFT 70X5MM         |                                                                                     | 4  |
|       |                              |    |    |
| 20759 | BEARING ROLLER 1.3125X1.125" |                                                                                     | 4  |
|       |                              |   |    |
| 20424 | U                            |                                                                                     | 1  |
|       |                              |  |    |
| 21104 | 17X40X21MM                   |                                                                                     | 1  |
|       |                              |  |    |


|       |                             |                                                                                     |    |
|-------|-----------------------------|-------------------------------------------------------------------------------------|----|
| 20225 | BELT SINGLE TYPE B LONG 79" |                                                                                     | 13 |
|       |                             |    |    |
| 19953 | T. 12MM                     |                                                                                     | 5  |
|       |                             |    |    |
| 19974 | .31"                        |                                                                                     | 4  |
|       |                             |   |    |
| 20758 | 33.3X76X29MM                |                                                                                     | 3  |
|       |                             |  |    |
| 20753 | 22X28X10MM                  |                                                                                     | 2  |
|       |                             |  |    |
| 21289 | SELLOMEC5/8                 |                                                                                     | 2  |
|       |                             |  |    |


|       |                                      |                                                                                     |   |
|-------|--------------------------------------|-------------------------------------------------------------------------------------|---|
| 20810 | BEARING K387720                      |                                                                                     | 1 |
|       |                                      |    |   |
| 21138 | BEARING NEEDLE 15X35X18MM            |                                                                                     | 2 |
|       |                                      |    |   |
| 12016 | SEAL SHAFT I.D. 1.49 O.D. 1.5 T. 1/4 |                                                                                     | 8 |
|       |                                      |    |   |
| 20344 | 04400009                             |                                                                                     | 1 |
|       |                                      |  |   |
| 21041 | BEARING ROLLER 17X40X21              |                                                                                     | 9 |
|       |                                      |  |   |
| 20079 | 0.022"                               |                                                                                     | 5 |
|       |                                      |  |   |

|       |                                        |                                                                                     |   |
|-------|----------------------------------------|-------------------------------------------------------------------------------------|---|
| 21670 | VF2S                                   |                                                                                     | 2 |
|       |                                        |    |   |
| 16547 | SEAL SHAFT I.D. 1.8" O.D. 2.6" T. 0.3" |                                                                                     | 3 |
|       |                                        |    |   |
| 20150 | BELT SINGLE TYPE A LONG 72"            |                                                                                     | 5 |
|       |                                        |   |   |
| 21727 | T. 10MM                                |                                                                                     | 4 |
|       |                                        |  |   |
| 19452 | FILTER MUFFLER 3/8" NPT                |                                                                                     | 2 |
|       |                                        |  |   |
| 19357 | BELT SINGLE TYPE 5L LONG 28"           |                                                                                     | 1 |
|       |                                        |  |   |


|       |                             |                                                                                      |    |
|-------|-----------------------------|--------------------------------------------------------------------------------------|----|
| 19420 | BELT SINGLE TYPE V LONG 71" |                                                                                      | 6  |
|       |                             |     |    |
| 21095 | NSS                         |                                                                                      | 13 |
|       |                             |     |    |
| 19118 | 404828                      |                                                                                      | 1  |
|       |                             |    |    |
| 20141 | BELT SINGLE TYPE A LONG 63" |                                                                                      | 12 |
|       |                             |   |    |
| 20126 | BELT SINGLE TYPE A LONG 27" |                                                                                      | 3  |
|       |                             |   |    |
| 20151 | BELT SINGLE TYPE A LONG 77" |                                                                                      | 14 |
|       |                             |  |    |

|        |                               |                                                                                     |   |
|--------|-------------------------------|-------------------------------------------------------------------------------------|---|
| 20297  | GENERAL TAPERED PIN 20MM      |    | 3 |
| 21261  | WHEEL NEOPRENE ROTARY 2"      |    | 1 |
| 111646 | GEAR REDUCER BALER 30:1 RATIO |    | 1 |
| 19456  | HOSE HYDRAULIC DIAMETER 2 "   |  | 2 |
| 19574  | 60X110X36.5MM                 |  | 5 |


|       |                                 |                                                                                      |   |
|-------|---------------------------------|--------------------------------------------------------------------------------------|---|
| 20464 | GEAR PART NO. CR-200008         |     | 1 |
| 20431 | GENERAL ANVIL COVER 37" 3/4 X5" |     | 9 |
| 20535 | APPLICATION N50F                |    | 1 |
| 21110 | POTHOELECTRIC SENSOR NR7669     |   | 1 |
| 19183 | FILTER CARTRIDGE 9"             |  | 2 |


|       |                                                                                     |   |
|-------|-------------------------------------------------------------------------------------|---|
| 19382 | TIMING BELT 915MM                                                                   | 6 |
|       |    |   |
| 19448 | TIMING BELT 1407MM 70MM                                                             | 3 |
|       |   |   |
| 20527 | OBSOLETE CR-35795 STRAIGHT GEAR                                                     | 1 |
|       |   |   |
| 21735 | GEAR STRAIGHT ZLG-7703                                                              | 1 |
|       |  |   |
| 18734 | SPRING PIVOT ARM PART NO. 1766404                                                   | 6 |
|       |  |   |


|       |                                          |                                                                                      |    |
|-------|------------------------------------------|--------------------------------------------------------------------------------------|----|
| 20567 | OBSOLETE BRNG. BALL D-2267 1/4X7/8X7/16" |                                                                                      | 22 |
|       |                                          |     |    |
| 21068 | BEARING INNER RACE                       |                                                                                      | 7  |
|       |                                          |    |    |
| 21126 | BEARING CAM FOLLOWER NATR5-PP 5X16X12MM  |                                                                                      | 5  |
|       |                                          |   |    |
| 13669 | SINGLE BAND TIPE B LONG 105IN            |                                                                                      | 10 |
|       |                                          |  |    |
| 19373 | OBSOLETE STEEL SHAFT                     |                                                                                      | 8  |
|       |                                          |   |    |


|       |                                        |                                                                                    |   |
|-------|----------------------------------------|------------------------------------------------------------------------------------|---|
| 20473 | OBSOLETE PLATE GENERAL ASSEMBLY        |                                                                                    | 1 |
|       |                                        |   |   |
| 20491 | GENERAL BUSHING SUPPORT APPLICAT. N50F |                                                                                    | 1 |
|       |                                        |   |   |
| 20508 | OBSOLETE GENERAL BRA 3.75X0.5 "        |                                                                                    | 4 |
|       |                                        |  |   |

| Material | Description                           | Imagen                                                                               | Stock Qty |
|----------|---------------------------------------|--------------------------------------------------------------------------------------|-----------|
| 113917   | MODULE ET4                            |    | 1         |
| 15908    | HEATER ELEMENT 4.94-5.13 AMPS         |                                                                                      | 4         |
| 16138    | RELAY IDEC 8 PINS 3A 120 VAC.         |   | 14        |
| 19150    | COIL WITH CARBON                      |  | 2         |
| 19343    | ELECTRIC INTERLOCK 600VAC             |  | 2         |
| 19434    | SENSOR PHOTOELECTRIC 10-40VDC NPN/PNP |  | 1         |
| 19667    | SENSOR PHOTOELECTRIC 10-30VDC NPN AA  |                                                                                      | 7         |


|       |                                        |                                                                                      |   |
|-------|----------------------------------------|--------------------------------------------------------------------------------------|---|
| 19817 | RELAY ELECTROMECHANICAL 240VAC 14 PINS |    | 5 |
| 19862 | SWITCH LIMIT 300VAC 10A                |    | 4 |
| 19899 | SENSOR PROXIMITY 20-265V               |    | 5 |
| 19957 | SWITCH ROLLER 125VAC 25A               |   | 3 |
| 19960 | MOTOR PROTECTION 45.0-60.0 AMP 480V    |  | 1 |
| 19962 | RELAY TIMER 120V AC/DC 8 PINS          |  | 2 |
| 19969 | SENSOR RTD 100 OHM                     |  | 3 |
| 19986 | PUSH-BUTTON 30MM NONILLUMINATED RED/GR |  | 4 |

|       |                                         |                                                                                      |   |
|-------|-----------------------------------------|--------------------------------------------------------------------------------------|---|
| 19987 | PUSH-BUTTON 30MM ILLUMINATED RED/GRE    |    | 2 |
| 20016 | INDUCTIVE PROXIMITY SENSOR 20-250VAC    |    | 2 |
| 20080 | ELECTRIC RECEPTACLE 24 PINS MALE        |    | 3 |
| 20587 | OBSOLETE PROXIMITY SENSOR 10/30VDC PNP  |   | 3 |
| 21047 | INDUCTIVE SENSOR 10-55VDC NPN/PNP       |  | 1 |
| 21062 | DRIVE 180-528 VAC 3PH MFE460A016        |                                                                                      | 1 |
| 28525 | LIMITATOR SWITCH 120 VAC 60 A           |                                                                                      | 1 |
| 36252 | PHOTOELECTRIC RECEIVER SENSOR 10-30 VDC |  | 2 |

|        |                                          |                                                                                      |   |
|--------|------------------------------------------|--------------------------------------------------------------------------------------|---|
| 39378  | BLOWER 8" INLET CINC                     |    | 1 |
| 39707  | ENCODER TRANSDUCER 17 VDC TERMINAL       |    | 2 |
| 80491  | ANALOGIC REGULATOR 0-9 BARS 24VDC 120PSI |    | 2 |
| 111692 | TEMPERATURE CONTROLLER 100-230VAC T500   |    | 1 |
| 111814 | AUXILIARY CONTACT 2 POLO                 |  | 4 |
| 208624 | SERVO DRIVE DE 40A 700 VCC               |                                                                                      | 3 |
| 20139  | FUSE BLADE 80 AMP 500VAC                 |  | 8 |
| 20146  | FUSE AMPS 100 600 VOLT                   |  | 4 |

|       |                                          |                                                                                      |   |
|-------|------------------------------------------|--------------------------------------------------------------------------------------|---|
| 20679 | FUSE BLADE FLM6 250V 6 AMPS              |    | 9 |
| 10285 | CONTROLLER SLC 5/01 4K MEMORY 1747-L514  |    | 6 |
| 10975 | FOTOELECTRIC SENSOR 10-30VDC PNP280XX191 |    | 1 |
| 19061 | CONTROLLER PLC CPU                       |    | 2 |
| 19096 | CONTROLLER TIME PNEUMATIC                |  | 1 |
| 20601 | OBSOLETE CONTROLLER CONTROL BOARD        |  | 2 |
| 20791 | CONTROLLER PLC MODULE M23 12PIN          |  | 1 |
| 20835 | OBSOLETE COMPONENT INTERFACE MODULE      |  | 1 |


|       |                                         |                                                                                      |    |
|-------|-----------------------------------------|--------------------------------------------------------------------------------------|----|
| 21175 | CONTROLLER POWER SUPPLY 240V            |    | 2  |
| 38570 | OVERLOAD RELAY 9 TO 12-5                |    | 4  |
| 38672 | SENSOR LIGHT RECEIVER 10-264V 50/60HZ   |    | 2  |
| 38815 | BOARD SEMIKRON RT380T 230/400 PCB ROHS  |   | 2  |
| 39446 | COMPACT SPADE TERMINAL RELAY 120V       |  | 6  |
| 39448 | PIN CIRCULAR 11 - 2.0" HIGH X 2.3" WIDE |  | 18 |
| 39449 | SOCKET FOR RELAY 24VAC 10A              |                                                                                      | 17 |
| 55474 | OUTPUT MODULE AC 120V                   |  | 1  |

|        |                                       |                                                                                      |    |
|--------|---------------------------------------|--------------------------------------------------------------------------------------|----|
| 77105  | PHOTOELECTRIC LR DIFF ACDC H EM 5POLE |    | 3  |
| 80961  | JOYSTICK 4 POSITION                   |    | 2  |
| 18741  | MULTICONDUCTION WIRE 18 AWG 300 V     |                                                                                      | 2  |
| 109148 | CABLE FOR UMAC RJ45 CAT 5             |   | 2  |
| 19581  | ELECTRIC MOTOR PARTS BRUSH HOLDER     |  | 2  |
| 80154  | MOTOR BRUSHES T.250 X W.433 X L1.140  |                                                                                      | 10 |
| 10290  | PNEUMATIC CYLINDER 1-1/2" 4" C.       |  | 1  |
| 19018  | AIR MOTOR PART NO. 145AF1             |  | 2  |

|        |                                        |                                                                                      |    |
|--------|----------------------------------------|--------------------------------------------------------------------------------------|----|
| 19169  | ELECTROVALVE PNEUM.3/2N1/4 NPT         |    | 4  |
| 20066  | ELECTROVALVE PPNEUM. 220V 3/32 1/4 NPT |    | 1  |
| 80155  | PNEUMATIC SOLENOID VALVE 12F123        |    | 2  |
| 109363 | ELECTROVALVE 4.2WTS 24VDC 120 PSI      |    | 8  |
| 34519  | ELECTROVALVE NEUMATIC 3W 1/2 NPT 24 V  |  | 2  |
| 82589  | AIR DUCT HOSE 10"                      |                                                                                      | 10 |
| 64875  | FILTER ELEMENT MAX 100 PSI             |  | 1  |
| 19270  | LIMIT VALVE 1/8 "                      |                                                                                      | 4  |


|        |                                         |                                                                                      |   |
|--------|-----------------------------------------|--------------------------------------------------------------------------------------|---|
| 20194  | OBSOLETE VALVE MANIFOLD                 |    | 1 |
| 80112  | DISTRIBUTOR 56C-16-611JJ 150 PSI 1/2NPT |    | 1 |
| 80115  | VALVE 120/60 14.0WTS 1/4NPT             |    | 1 |
| 80116  | VALVE 120/60 24VDC 15WTS                |   | 1 |
| 109856 | SINGLE ACTING ACTUATOR 1/8" NPT         |  | 4 |
| 110322 | AIR EXHAUST FILTER MUFFLER 1/2"         |  | 9 |
| 20039  | ROTARY VANE VACUUM PUMP KVT 3.60        |  | 5 |
| 15983  | PINION GEAR Z36-263A                    |  | 3 |

|        |                                 |                                                                                      |   |
|--------|---------------------------------|--------------------------------------------------------------------------------------|---|
| 39505  | IDLER SHAFT 5" LENGTH           |    | 1 |
| 39513  | IIDLER GEAR ASSY 1" SHAFT       |                                                                                      | 1 |
| 39553  | FACE GATE MACH 4.1775" 5/8"     |    | 1 |
| 110474 | GEAR D 33 THEET                 |    | 2 |
| 111573 | GEAR UPPER FEED ROLLER 13 TEETH |  | 2 |
| 112685 | MOTOR SHAFT WORM CR-30153       |  | 1 |
| 112689 | WORM GEAR CR-30127              |  | 2 |
| 112695 | SPROCKET CR-351860              |  | 2 |

|        |                                        |                                                                                      |    |
|--------|----------------------------------------|--------------------------------------------------------------------------------------|----|
| 112889 | DRIVE GEAR 26676                       |    | 2  |
| 80127  | SCREW SOCKET M4-0.7X12MM               |                                                                                      | 10 |
| 18882  | TIMING BELT 1050MM.9MM.5MM             |    | 11 |
| 19010  | TIMING BELT 14408MGT50                 |    | 2  |
| 19139  | HELICAL GEAR D. 6X FACE 4-1/2 TEETH 34 |                                                                                      | 2  |
| 19162  | CHAIN CONNECTING LINK PITCH 50 SINGLE  |                                                                                      | 67 |
| 19319  | BELT GEAR 300H150 BGU143346 BOBST      |  | 2  |
| 19638  | TIMING BELT 90" 5/8"                   |  | 4  |

|       |                              |  |    |
|-------|------------------------------|--|----|
| 19653 | BELT DOUBLE TYPE BB LONG 60" |  | 2  |
| 19682 | SPROCKET 60B9 7/8"           |  | 4  |
| 19758 | MARTIN STEP SPROCKET 60      |  | 2  |
| 19819 | BELT SINGLE TYPE B LONG 87"  |  | 16 |
| 19966 | BELT SINGLE TYPE B LONG 90"  |  | 4  |
| 19977 | SPROCKET 80B9 1"             |  | 5  |
| 20085 | TIMING BELT 960MM 14MM 50MM  |  | 2  |
| 20142 | BELT SINGLE TYPE A LONG 68"  |  | 13 |

|       |                                       |                                                                                      |     |
|-------|---------------------------------------|--------------------------------------------------------------------------------------|-----|
| 20231 | BELT SINGLE TYPE B LONG 96"           |    | 8   |
| 20236 | BELT SINGLE TYPE B LONG 102"          |                                                                                      | 10  |
| 20265 | BELT SINGLE TYPE BP LONG 127"         |    | 3   |
| 20455 | CHAIN CONNECTING LINK PITCH 40 SINGLE |                                                                                      | 101 |
| 20471 | GEAR STRAIGHT CR-20139                |  | 2   |
| 20493 | OBSOLETE GEAR HELICOIDAL CR30126      |  | 4   |
| 20512 | SPROCKET 60-48 4"                     |  | 7   |
| 20533 | BELT MECHANICS SINGLE                 |  | 4   |

|        |                                          |                                                                                    |      |
|--------|------------------------------------------|------------------------------------------------------------------------------------|------|
| 20811  | GEAR 64 THEET 4.125" X .625" K-5808E     |  | 1    |
| 37782  | GEAR CM 51T LSK-250                      |  | 1    |
| 38804  | SPROCKET 40-30 THEET 7/8                 |  | 6    |
| 80331  | TURCITE 45MM WIDTH X 1.5 MM THICKNESS    |                                                                                    | 10.5 |
| 80808  | COLLAR INDICATOR DIAL WELDD 3"OD X 1/2TC |                                                                                    | 1    |
| 80867  | COUPLING WITH CUT OF 3.750INX2.612LG     |                                                                                    | 2    |
| 81848  | SPROCKET P50-2, B25, 1-5/8"              |                                                                                    | 1    |
| 112484 | BRUSH HOLDERS 13/16 OD                   |                                                                                    | 6    |

|        |                                     |  |    |
|--------|-------------------------------------|--|----|
| 113424 | SPEED REDUCER 32-35814              |  | 1  |
| 113425 | SPEED REDUCER 32-34669-1            |  | 1  |
| 113426 | GEARBOX 006:1 RATIO                 |  | 1  |
| 68599  | TOP STRAP GUIDE 5MM                 |  | 1  |
| 31534  | FEMALE LEFT END BAR NT1948          |  | 3  |
| 19046  | GENERAL PLATE PART NO. 160G1        |  | 2  |
| 19014  | SPRING COMPRESSION 14490-5          |  | 3  |
| 39485  | SPRING LOWER FEED ROLLER 35 X 23 MM |  | 17 |


|       |                                        |  |    |
|-------|----------------------------------------|--|----|
| 15096 | NEEDLE BEARING MR-5282.55X107.95X44.45 |  | 2  |
| 18944 | BEARING BALL 1209 45X85X19MM           |  | 13 |
| 18992 | BEARING DOUBLE BALL 1310               |  | 4  |
| 19001 | BEARING NEEDLE 14124 1.25X2.83X0.88"   |  | 5  |
| 19049 | BEARING BALL .5000 X 1.3750 X .4375MM  |  | 91 |
| 19137 | BEARING BALL 35X72X12 MM               |  | 4  |
| 19575 | BEARING BALL 65X120X38MM               |  | 3  |
| 19641 | BEARING BALL 6001-2RSR-C3 12X28X8M     |  | 16 |

|       |                                    |                                                                                      |    |
|-------|------------------------------------|--------------------------------------------------------------------------------------|----|
| 19649 | BEARING BALL 6008-2RSR-C3 40X68X15 |    | 5  |
| 19688 | BEARING BALL 61205K82 25X40X58MM   |    | 3  |
| 19689 | BEARING BALL 61205K83 30X47X68MM   |    | 4  |
| 19733 | BEARING BALL 62102RSRC3 90X50X20MM |   | 11 |
| 19735 | BEARING BALL 5X100X21MM            |  | 5  |
| 19741 | BEARING BALL 6218-2RSR-C3 90X160X3 |  | 2  |
| 19764 | BALL BEARING 20X52X15MM 6304-LU    |  | 5  |
| 19767 | BEARING BALL 30X72X19 MM           |  | 11 |


|       |                                          |                                                                                      |    |
|-------|------------------------------------------|--------------------------------------------------------------------------------------|----|
| 19768 | OBSOLETE BEARING 6307.2ZR.C3 35X80X21MM  |    | 7  |
| 19772 | BEARING BALL 55X120X29MM                 |    | 3  |
| 19798 | BEARING BALL 6656K23 31/2X41/8X5/16"     |                                                                                      | 4  |
| 20200 | NEEDLE BEARING B1212                     |    | 11 |
| 20408 | BEARING CAM FOLLOWER CF-1 5/8X1"         |  | 5  |
| 20412 | BEARING C. FOLLOWER CF-11/4 1/2X11/4X3/4 |  | 22 |
| 20414 | BEARING NEEDLE 13/4X3/4X2-25/3/4"        |  | 12 |
| 20426 | PILLOW BLOCK WALL 1 3/8"                 |  | 4  |


|       |                                        |                                                                                     |    |
|-------|----------------------------------------|-------------------------------------------------------------------------------------|----|
| 20715 | BEARING FLANGE-MOUNTED 1 1/2" 4 FY508M |   | 5  |
| 20806 | BEARING ROLLER 90X44X44MM              |   | 2  |
| 21065 | NEEDLE BEARING 1X1.5X1.25" MR-16-1     |   | 5  |
| 21079 | BEARING NEEDLE MR36 2-1/4X3X1-3/4"     |  | 8  |
| 21081 | BEARING NEEDLE 95.25X120.65X50.8MM     |                                                                                     | 4  |
| 21101 | BEARING NEEDLE 17X40MM                 |                                                                                     | 12 |
| 21102 | BEARING NAST25ZZ                       |                                                                                     | 4  |
| 21103 | BEARING NEEDLE NATR10-PP-A 10X30X15MM  |                                                                                     | 17 |


|        |                                          |                                                                                      |    |
|--------|------------------------------------------|--------------------------------------------------------------------------------------|----|
| 21630  | BEARING FLANGE-MOUNTED 1 1/2" 4.UCF208   |                                                                                      | 9  |
| 32211  | NEEDLE BEARING SRF-20 0.500X0.0005"      |                                                                                      | 5  |
| 38098  | HUB PUCHER CLUTCH 5/16 18 X 1/2 IN LONG  |                                                                                      | 2  |
| 38102  | SHAFT UPPER GEAR STACK                   |   | 2  |
| 38796  | PIN THICK 1 INCH X 2.05 INCHES           |  | 3  |
| 80161  | TRACK ROLLERS 22MM X 12MM X 36MM R.M10X1 |  | 4  |
| 82563  | DISPLACEMENT BALL 1/2 NS                 |  | 29 |
| 108360 | BEARING 25 MM ID X 52 MM OD X 25 MM      |  | 7  |


|        |                                     |                                                                                      |    |
|--------|-------------------------------------|--------------------------------------------------------------------------------------|----|
| 108710 | BALL BEARING 65 X 100 X 18MM W/RING |    | 4  |
| 110325 | BEARING WA-3428                     |    | 2  |
| 110326 | ROLLER BEARING CR-20265             |    | 2  |
| 112378 | BEARING 276AF1                      |   | 2  |
| 38093  | FEMALE ROD END LEFT EF8 8/M8 L36/48 |  | 1  |
| 108333 | MATRIX BRAKE 1EB020                 |  | 1  |
| 21255  | CONVEYOR BELT PVC 12"X100'          |  | 89 |
| 21259  | CONVEYOR BELT PVC 5"X100'           |  | 93 |


|        |                                     |                                                                                      |    |
|--------|-------------------------------------|--------------------------------------------------------------------------------------|----|
| 38290  | CONVEYOR TIME BELT 42 INCHES LONG   |    | 3  |
| 39558  | ROLLER ECCENTRIC 2-3/16" LONG       |    | 3  |
| 109836 | FEEDER ROLL SUPPORT 50MM X 300MM    |    | 1  |
| 10149  | RUBBER ROLLER 4 INX 8IN             |    | 42 |
| 10939  | GRIPPER PAD PART NO. 2809-011201-03 |  | 1  |
| 10957  | TENSION ROLLER OD 2.1/2" ID 3/4"    |  | 3  |
| 10963  | PULLEY TIMING BELT SINGLE 1/2"      |  | 5  |
| 13727  | BELT HI-POWER PART NO. B92          |  | 8  |

|       |                                         |                                                                                      |   |
|-------|-----------------------------------------|--------------------------------------------------------------------------------------|---|
| 15224 | SHOCK ABSORBER W/NUT                    |    | 4 |
| 16758 | BOLT HEX CAP SCREW M8-1.25X1-7/8"       |    | 3 |
| 19045 | GENERAL BELL HOUSING APPLICATION STR    |    | 3 |
| 19181 | BUSHING TAPERLOCK STEEL 2.559"          |                                                                                      | 2 |
| 19234 | PULLEY TIMING BELT SINGLE 6"            |  | 1 |
| 19240 | GENERAL RAZON APPLICATION STRA 28-09    |  | 5 |
| 19243 | TIMING BELT PULLEY 2809-013510-00 MOSCA |  | 3 |
| 19380 | SEAL PAINT O-RING I.D. 6-5/8" ES        |  | 8 |

|       |                                          |                                                                                      |    |
|-------|------------------------------------------|--------------------------------------------------------------------------------------|----|
| 19603 | SEAL SHAFT I.D. 85MM O.D. 110MM T. 12MM  |    | 6  |
| 19748 | CRANK HAND. SCREW MOUNTING ZINC 6270K13  |    | 27 |
| 20074 | GENERAL CLEVIS PIN 1/4X1-1/2"            |    | 6  |
| 20087 | PULLEY V-BELT DOUBLE 9"                  |                                                                                      | 1  |
| 20107 | GENERAL RETAINING RING 50MM              |  | 87 |
| 20207 | BUSHING ECC. STEEL 5-3/4X4-5/16X2-11/16" |  | 1  |
| 20274 | GENERAL HINGE APPLICATION NBOB           |  | 5  |
| 20276 | OBSOLETE GENERAL SUPPORT BAR             |  | 1  |

|       |                                       |                                                                                      |    |
|-------|---------------------------------------|--------------------------------------------------------------------------------------|----|
| 20278 | OBSOLETE GENERAL HINGE APPS. BOB      |    | 3  |
| 20288 | OBSOLETE GENERAL BACKPLATE CLAMP      |    | 13 |
| 20302 | OBSOLETE GENERAL ROTOR APPS. BOB      |                                                                                      | 1  |
| 20470 | OBSOLETE DATE HAD DE. 2-5 / 8 "L. 18" |   | 1  |
| 20489 | GENERAL PIN 1/2X5-1/2"                |  | 29 |
| 20492 | MACHINING INSERT CR-30110 N50F STEEL  |  | 15 |
| 20494 | GENERAL AIR CAM APPLICATION N50F      |  | 3  |
| 20500 | GENERAL ECCENTRIC SET SCREW 5/8-11"   |  | 29 |

|       |                                         |                                                                                      |   |
|-------|-----------------------------------------|--------------------------------------------------------------------------------------|---|
| 20501 | OBSOLETE GENERAL NYLON BUTTON APPS N50F |                                                                                      | 7 |
| 20515 | GENERAL METALLIC BASE PIN 3/8"          |    | 2 |
| 20531 | PULLEY GUIDE 4" 2.5"                    |    | 3 |
| 20536 | GENERAL HEAD APPLICATION NSS            |    | 2 |
| 20609 | PROBE GENERAL INK                       |                                                                                      | 2 |
| 20654 | MAKING GEAR PINON SERVICE FABPINENG     |  | 4 |
| 20677 | MAKING ARROW 13 / 4X26.0                |  | 2 |
| 21341 | GENERAL SPRING COUPLING                 |  | 4 |

|       |                                       |                                                                                      |    |
|-------|---------------------------------------|--------------------------------------------------------------------------------------|----|
| 21636 | GENERAL FEEDER ARM APPLICATION NJUMBO |    | 2  |
| 21726 | GENERAL INJECTOR HEAD NGL4            |    | 1  |
| 24932 | GRIPPER THOWOUT                       |    | 1  |
| 29552 | BUSHING 1 15/16"                      |   | 3  |
| 34513 | TIMING PULLEY 60QD                    |  | 2  |
| 34524 | BELT LONG 64 1/2 X 5/16               |                                                                                      | 17 |
| 38284 | FORMER SLIDE 190 THRU 7/16 CROWN      |  | 1  |
| 38413 | CLAMP FOR 2MM CABLE                   |  | 8  |

|       |                                          |                                                                                      |   |
|-------|------------------------------------------|--------------------------------------------------------------------------------------|---|
| 38491 | WIRE FEED OPERATING LEVER SLIDING 1/4"   |    | 1 |
| 38494 | WIRE FEED CRANK SECTOR BH485 1/4"        |    | 2 |
| 38498 | GRIPPER BAR CLAMP PIECE 7/16 CROWN 1/4   |    | 1 |
| 38499 | GRIPPER BAR ONLY 7/16 CROWN 1/4          |   | 1 |
| 38500 | GRIPPER BAR ADJUSTING SCREW 7/16 BLOCK   |  | 1 |
| 38698 | RUBBER ROLLER FINGER SLOT 4 OD 8 WTH 5/8 |  | 3 |
| 39387 | BLOWER MOUNTING BRACKET 1/2-13 HOLES     |                                                                                      | 1 |
| 39591 | MOTHER GEAR ZLG-01422-00                 |  | 1 |

|       |                                          |                                                                                      |   |
|-------|------------------------------------------|--------------------------------------------------------------------------------------|---|
| 43958 | BALL BEARING 65 X 100 X 18MM             |    | 5 |
| 79216 | RIGHT SIDE SLIDE BLOCK PIN 1-1/2"        |    | 1 |
| 79217 | LEFT SIDE SLIDE BLOCK PIN 1-1/2"         |    | 1 |
| 79244 | COVER BEARING HOUSING ZLG-1784 CORRUGATE |   | 2 |
| 80123 | AXLE CONICAL TO 10MM                     |  | 4 |
| 80125 | INK DAM SUPPORT 145X60X20MM              |  | 1 |
| 80500 | BELT MOTOR SHAFT PULLE D30,B18,1-12/16OD |  | 3 |
| 80746 | PIN IDLERS DRIVEN 1" OD X 5-1/2" LG      |  | 2 |

|        |                                      |                                                                                                             |   |
|--------|--------------------------------------|-------------------------------------------------------------------------------------------------------------|---|
| 80748  | SPROCKET P60, 14B, 1" IN             |                           | 2 |
| 80753  | LUBRICATION UNIT BIJUR TM5           |                           | 1 |
| 81425  | OUTPUT MODULE SLC 16 POINT DC        |                           | 3 |
| 81837  | WEAR STRIP CENTER 1" X 10-3/4"       |    | 2 |
| 81838  | WEAR STRIP 1" X 4-2/16"              |  | 6 |
| 81839  | WEAR STRIP END 1" X 8-1/2"           |   | 2 |
| 108738 | NOZZLE DUAL ORIFICE 0.020 D X 15 DEG |                         | 2 |
| 110362 | SHAFT FEED TABLE 288BA1              |                                                                                                             | 2 |

|        |                           |                                                                                      |    |
|--------|---------------------------|--------------------------------------------------------------------------------------|----|
| 112686 | CROSS SHAFT CR-30135      |    | 1  |
| 112687 | WORM WHEEL CR-30126       |    | 2  |
| 112688 | SHIM CR-30822             |    | 2  |
| 112691 | WORM WHEEL CR-30149       |   | 1  |
| 112711 | SHAFT COLLAR 7/8" ID      |  | 16 |
| 113916 | PULLEY 12-1/4" OD X 1" ID |  | 1  |
| 9408   | ELBOW BRASS 1/4 "NPT"     |  | 9  |
| 21323  | ANVIL COVER 38-1/2"       |                                                                                      | 3  |

|       |                                         |                                                                                      |    |
|-------|-----------------------------------------|--------------------------------------------------------------------------------------|----|
| 39662 | ANVIL COVER 5"WE. 15.5"IN. 14.7"OD      |    | 7  |
| 20532 | OBSOLETE METAL ROLLER 1-7 / 8 "X 5.5"   |                                                                                      | 1  |
| 39200 | DOCTOR BLADE OF STEEL 1.25"X0.010"X100M |    | 2  |
| 15981 | GEAR DUCTOR ROLLER 74 TEETH Z36-18 C    |    | 1  |
| 33819 | CARDBOARD ROLLER GEAR Z36-269           |  | 3  |
| 38505 | CUTTER PLUNGER TYPE BHS RIBBON WIRE 1/4 |  | 1  |
| 37800 | PROXIMITY CABLE WITH ANGLE PLUG         |  | 3  |
| 38566 | FEDD WHEEL 4 OD X 1 750 WIDTH           |  | 47 |